



IEHP UM Subcommittee Approved Authorization Guideline			
Guideline	Bronchial Thermoplasty	Guideline #	UM_SUR 10
		Original Effective Date	May 9, 2018
Section	Surgical Procedures	Revision Date	

COVERAGE POLICY

Bronchial Thermoplasty (BT) may be considered medically necessary when ALL the following criteria are met:

- A. The patient has been managed by an asthma specialist (pulmonologist, allergist, immunologist) for at least six months prior to consideration of BT
- B. The patient is 18 years of age or older
- C. The patient is a current non-smoker
- D. There is documentation that the patient is compliant with preferred asthma medications, and has received training in asthma self-management (e.g., self-monitoring of symptoms and/or Peak Expiratory Flow (PEF), written asthma action plan, and regular medical review).
- E. The patient has been diagnosed with chronic, severe persistent asthma that has failed or not tolerated maximum therapy (defined below);
 1. Severe persistent asthma is defined as:
 - a. Documented current use of an inhaled corticosteroid for at least six consecutive months; AND
 - b. Documented current use of an additional controller medication including long-acting beta agonist, long-acting muscarinic antagonist or leukotriene inhibitor for at least six consecutive months; AND
 - c. Documentation that patient's co-morbidities have been reviewed, addressed and are being treated appropriately; AND
 - d. The patient is taking, or is being considered for, chronic oral corticosteroids to maintain asthma control; AND
 - e. The patient is not a candidate for, or has failed a three month trial of biologic therapy (such as anti-IgE, anti-IL5) with no change in symptom severity
 2. Severe persistent asthma therapy that has not been effective or is not well tolerated is defined by at least one of the following:
 - a. Poor symptom control as evidenced by the presence of greater than or equal to three of the following:
 - i. Daytime asthma symptom more than twice per week
 - ii. Any night waking due to asthma
 - iii. Need for symptom relief more than twice per week
 - iv. Any activity limitation due to asthma
 - b. Asthma Control Test (ACT) less than 20 (Appendix A)
 - c. Two or more serious attacks, hospitalizations, ED visits, or exacerbations requiring systemic corticosteroids within the past 12 months

COVERAGE LIMITATIONS AND EXCLUSIONS

- A. One complete thermoplasty procedure must be performed in three treatment sessions with a recovery period of 2 weeks or longer between sessions.
- B. Repeat procedures of bronchial thermoplasty, beyond the initial three treatments are not covered because it has not been shown to improve long-term health outcomes.
- C. Bronchial thermoplasty is not covered for any other indications than outlined in criteria.
- D. Bronchial thermoplasty must be performed by clinicians experienced in bronchoscopy and who have completed bronchial thermoplasty training and are certified to perform BT by Boston Scientific.
- E. Contraindications
 1. Patients are unable to undergo bronchoscopy safely
 2. Presence of a pacemaker, internal defibrillator, or other implantable electronic devices
 3. Known hypersensitivity to drugs used during bronchoscopy such as lidocaine, midazolam, fentanyl
 4. Severe comorbid conditions that would increase the risk of adverse events during the procedure based on an assessment by the proceduralist.

ADDITIONAL INFORMATION

None

CLINICAL/REGULATORY RESOURCE

None

DEFINITION OF TERMS

None

REFERENCES

1. American College of Chest Physicians (CHEST). (2014, May). Position statement for coverage and payment for bronchial thermoplasty. Retrieved from <http://www.chestnet.org/News/CHEST-News/2014/05/Position-Statement-for-Coverage-and-Payment-for-Bronchial-Thermoplasty>
2. Barnes, P.J. (2015, September). Therapeutic approaches to asthma-chronic obstructive pulmonary disease overlap syndromes. *The Journal of Allergy and Clinical Immunology*, Sep;136(3):531-45. doi: 10.1016/j.jaci.2015.05.052.
3. Brown, R.H., Wizeman, W., Danek, C., Mitzner, W. (2005). In vivo evaluation of the effectiveness of bronchial thermoplasty with computed tomography. *Journal of Applied Physiology* 98, 1603-6.
4. Brown, R.H., Wizeman, W., Danek, C., Mitzner, W. (2005). Effect of bronchial thermoplasty on airway distensibility. *European Respiratory Journal* 26, 277-82.
5. Castro, M., Rubin, A., Laviolette, M., Hanaia, N.A., Armstrong, B., Cox, G.; AIR2 Trial Study Group, (2011, July). Persistence of effectiveness of bronchial thermoplasty in patients with severe asthma. *Ann Allergy Asthma Immunol.*,107(1):65-70.
6. Castro, M., Rubin, A.S., Laviolete, M., Fitema, J., De Andrade Lima, M., et al (2009). Effectiveness and Safety of Bronchial Thermoplasty in the Treatment of Severe Asthma: A Multicenter, Randomized, Double-Blind, Sham- Controlled Clinical Trial. *American Journal of Respiratory and Critical Care Medicine* [Epub ahead of print] retrieved from the world wide web on December 18, 2009 at <http://www.ncbi.nlm.nih.gov/pubmed>

7. Castro, M., Cox, G., Wechsler, M.E., & Niven, R.M. (2015, February). Bronchial thermoplasty: ready for prime time--the evidence is there! *Chest*, Feb;147(2):e73-4. doi: 10.1378/chest.14-2296.
8. Cox, G., Miller, J.D., McWilliams, A., et al (2006). Bronchial thermoplasty for asthma. *American Journal of Respiratory and Critical Care Medicine* 173, 965-9.
9. Cox, P.G., Miller, J., Mitzner, W., Leff, A.R. (2004). Radiofrequency ablation of airway smooth muscle for sustained treatment of asthma: preliminary investigations. *European Respiratory Journal* 24, 659-63.
10. Cox, G., Miller, J.D., McWilliams, A. et al (2004). Bronchial thermoplasty: long-term follow-up and patient satisfaction. *Chest* 126, 822S.
11. Cox, G., Thomson, N.C., Rubin, A.S. et al (2007). Asthma control during the year after bronchial thermoplasty. *New England Journal of Medicine* 356, 1327-37.
12. Falt, M.L., & Wenzel, S.E. (2017, January). Development of new therapies for severe asthma. *Allergy, Asthma & Immunology Research*, Jan;9(1):3-14. doi: 10.4168/aaair.2017.9.1.3.
13. Global Strategy for Asthma Management and Prevention (GINA). 2017.
14. Hayes Brief. (October 7, 2011; 2012, December archived). Alair Bronchial Thermoplasty System (Asthmatx Inc.) for Treatment of Asthma. Lansdale, PA: Hayes, Inc.
15. Hayes Medical Technology Directory (2014). Bronchial Thermoplasty for the Treatment of Asthma. April 7, 2014. Lansdale, PA: Hayes, Inc.
16. Hayes Medical Technology Directory (2016, May). Bronchial Thermoplasty for the Treatment of Asthma. May 26, 2016. Lansdale, PA: Hayes, Inc.
17. Laxmanan, B., Egressy, K., Murgu, S.D., White, S.R., & Hogarth, D.K. (2016, September). Advances in bronchial thermoplasty. *Chest*, Sep;150(3):694-704. doi: 10.1016/j.chest.2016.03.012.
18. L.D. Tan, N. Kenyon, K.Y. Yoneda, S. Louie. Bronchial Thermoplasty: Implementing Best Practice in the Common Era. *Journal of Asthma and Allergy* 2017; 10: 225-230
19. Mayse, M.L., Laviolette, M., Rubin, A.S. et al (2007). Clinical Pearls for Bronchial Thermoplasty. *Journal of Bronchology and Interventional Pulmonology* 14, 115-23.
20. Pavord, I.D., Cox, G., Thomson, N.C. et al (2007). Safety and Efficacy of Bronchial Thermoplasty in Symptomatic, Severe Asthma. *American Journal of Respiratory and Critical Care Medicine* 176, 1185-91.
21. Selzer, A.R., Murrell, M., & Shostak, E. (2016, October). New trends in interventional pulmonology. *Current Opinion in anesthesiology*, Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27783022>
22. Tice, J.A. (2011). California Technology Assessment Forum, Bronchial Thermoplasty for the Treatment of Severe Asthma. October 19, 2011. [On-line] Available at: <http://www.ctaf.org>.
23. Torrego, A., Sola, I., Munoz, A.M. et al (2014). Bronchial thermoplasty for moderate or severe asthma in adults. *Cochrane Database of Systematic Reviews* 2014;3: CD009910
24. United States Food and Drug Administration. FDA Executive Summary P080032. Alair® Bronchial Thermoplasty System. October 28, 2009. Rockville, MD: Author.
25. Wechsler, M.E., Laviolette, M., Rubin, A.S., et al (2013). Asthma Intervention Research 2 Trial Study Group. Bronchial thermoplasty: Long-term safety and effectiveness in patients with severe persistent asthma. *Journal of Allergy and Clinical Immunology*, 132, 1295-1302.

26. Wu, Q., Xing, Y., Zhou, X., Wang, D., (2011); Meta-analysis of the efficacy and safety of bronchial thermoplasty in patients with moderate-to-severe persistent asthma. *J Int Med Res.*, 39(1):10-22.

DISCLAIMER

IEHP Clinical Authorization Guidelines (CAG) are developed to assist in administering plan benefits, they do not constitute a description of plan benefits. The Clinical Authorization Guidelines (CAG) express IEHP's determination of whether certain services or supplies are medically necessary, experimental and investigational, or cosmetic. IEHP has reached these conclusions based upon a review of currently available clinical information (including clinical outcome studies in the peer-reviewed published medical literature, regulatory status of the technology, evidence-based guidelines of public health and health research agencies, evidence-based guidelines and positions of leading national health professional organizations, views of physicians practicing in relevant clinical areas, and other relevant factors). IEHP makes no representations and accepts no liability with respect to the content of any external information cited or relied upon in the Clinical Authorization Guidelines (CAG). IEHP expressly and solely reserves the right to revise the Clinical Authorization Guidelines (CAG), as clinical information changes.