



Inland Empire Health Plan
Medi-cal HEDIS® Performance Summary

HEDIS® Measures for Medi-Cal	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA) x	72.60%	71.50%	53.56%	<25 th ↓↓↓
Adolescent Well Care Visits (AWC)	46.06%	45.26%	45.50%	<25 th ↓
Adult BMI Assessment (ABA) x	90.05%	83.70%	87.83%	25 th ↔
Adults' Access to Preventive/Ambulatory Health Services (AAP)				
20-44 Years	62.39%	62.56%	65.49%	<25 th ↔
45-64 Years	77.38%	77.46%	79.01%	<25 th ↔
65+ Years	88.45%	89.28%	89.93%	50 th ↔
Total	68.46%	68.58%	71.04%	<25 th ↔
Annual Monitoring for Patients on Persistent Medications (MPM)				
ACE Inhibitors or ARBs	87.67%	88.78%	87.93%	25 th ↓
Diuretics	86.94%	88.23%	87.76%	25 th ↓
Total	87.13%	88.58%	87.86%	25 th ↓
Antidepressant Medication Management (AMM) x				
Effective Acute Phase Treatment	55.52%	58.71%	57.38%	50 th ↓
Effective Continuation Phase Treatment	37.11%	41.52%	39.78%	50 th ↓
Appropriate Testing for Children with Pharyngitis (CWP) x	37.06%	41.44%	40.36%	<25 th ↔
Appropriate Treatment for Children with Upper Respiratory Infection (URI) x	90.77%	91.22%	91.97%	50 th ↔
Asthma Medication Ratio (AMR) x				
Ages 5 - 11	59.42%	65.60%	66.56%	<25 th ↔
Ages 12 - 18	48.57%	56.30%	57.42%	<25 th ↔
Ages 19 - 50	40.95%	47.45%	47.69%	25 th ↔
Ages 51 - 64	49.58%	53.84%	52.62%	25 th ↔
Total	49.22%	55.41%	55.59%	<25 th ↔
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)~ x	27.30%	31.74%	31.97%	25 th ↓
Breast Cancer Screening (BCS) x	64.17%	67.07%	66.84%	75 th ↔

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan

Medi-cal HEDIS® Performance Summary

HEDIS® Measures for Medi-Cal	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	87.50%	88.71%	78.23%	50th ↓↓
Cervical Cancer Screening (CCS) x	58.59%	62.04%	64.96%	50th ↔
Childhood Immunization Status (CIS) x				
Combination 10	28.01%	25.79%	31.14%	25th ↔
Children and Adolescents' Access to Primary Care Practitioners (CAP)				
<i>12-24 Months</i>	93.72%	93.78%	93.48%	<25th ↓
<i>25 Months - 6 Years</i>	83.28%	84.05%	84.29%	<25th ↔
<i>7-11 Years</i>	82.59%	83.26%	84.21%	<25th ↔
<i>12-19 Years</i>	81.72%	82.75%	83.06%	<25th ↔
Chlamydia Screening in Women (CHL) x				
<i>Ages 16 - 20</i>	58.40%	57.44%	58.27%	50th ↔
<i>Ages 21 - 24</i>	66.54%	67.16%	68.73%	50th ↔
<i>Total*</i>	62.72%	62.65%	63.76%	50th ↔
Comprehensive Diabetes Care (CDC) x				
<i>HbA1c Testing</i>	87.01%	84.91%	89.05%	50th ↑
<i>HbA1c Control ≤9%</i>	62.88%	64.96%	67.64%	75th ↔
HbA1c Control <8%	52.90%	54.01%	57.42%	75th ↔
Eye Exam	60.56%	56.69%	60.58%	50th ↔
<i>Monitoring for Diabetic Nephropathy*</i>	90.49%	91.97%	93.67%	90th ↔
Blood Pressure Control <140/90 mm Hg	66.82%	65.21%	61.31%	25th ↓
Controlling High Blood Pressure (CBP) x	58.85%	58.64%	60.34%	25th ↓
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	78.43%	78.58%	78.29%	75th ↔
Diabetes Screening for People With Schizophrenia or Bipolar Disorder who are Using Antipsychotic Medication (SSD) x	80.60%	79.29%	85.88%	75th ↑↑
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	73.00%	77.84%	77.95%	50th ↔
Follow-Up Care for Children Prescribed ADHD Medication (ADD) x				

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan

Medi-cal HEDIS® Performance Summary

HEDIS® Measures for Medi-Cal	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
<i>Initiation Phase</i>	25.48%	29.66%	22.50%	<25 th ↔
<i>Continuation & Maintenance Phase</i>	25.29%	36.24%	23.75%	<25 th ↔
Follow-Up after Emergency Department Visit for Mental Illness (FUM)				
<i>Total - 7 day follow-up</i>	NA	NA	45.58%	50 th ↔
<i>Total - 30 day follow-up</i>	NA	NA	62.56%	50 th ↔
Immunizations for Adolescents (IMA) x				
<i>Combination 2</i>	23.61%	29.44%	39.42%	75 th ↑↑
Medication Management for People with Asthma: Compliance 75% (MMA) x				
<i>Ages 5 - 11</i>	28.00%	34.70%	35.61%	75 th ↔
<i>Ages 12 - 18</i>	29.36%	33.47%	32.89%	50 th ↓
<i>Ages 19 - 50</i>	39.82%	46.23%	44.43%	50 th ↓
<i>Ages 51 - 64</i>	52.42%	56.93%	56.74%	50 th ↓
<i>Total</i>	35.53%	41.38%	40.99%	50 th ↓
Medication Reconciliation Post-Discharge (MRP)-MLTSS Special Population	41.94%	31.63%	39.90%	N/A
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM) x	26.67%	47.27%	47.09%	75 th ↔
Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)	2.83%	2.13%	1.36%	25 th ↓
Persistence of Beta -Blocker Treatment After a Heart Attack (PBH)	76.49%	79.28%	77.97%	25 th ↔
Pharmacotherapy Management of COPD Exacerbation (PCE) x				
<i>Systemic Corticosteroid</i>	76.14%	73.18%	78.39%	75 th ↔
<i>Bronchodilator</i>	86.41%	85.99%	90.01%	90 th ↑↑
Risk of Continued Opioid Use (COU) ^				
<i>>=15 Days Covered</i>			17.95%	
<i>>= 31 Days Covered</i>			7.16%	
Statin Therapy for Patients with Cardiovascular Disease (SPC) x				
<i>Received Statin Therapy</i>	69.77%	73.48%	76.01%	25 th ↔

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan
Medi-cal HEDIS® Performance Summary

HEDIS® Measures for Medi-Cal	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
<i>Adherence 80%</i>	63.21%	67.10%	68.91%	50th ↓
Statin Therapy for Patients with Diabetes (SPD) x				
<i>Received Statin Therapy</i>	59.26%	63.85%	64.75%	50th ↓
<i>Adherence 80%</i>	60.90%	61.13%	63.98%	50th ↔
Timeliness of Prenatal Care (PPC) x	83.49%	79.08%	80.29%	25th ↔
Timely Postpartum Care (PPC) x	64.19%	61.31%	66.42%	50th ↑
Use of Imaging Studies in Low Back Pain (LBP)~x	72.31%	71.83%	72.22%	50th ↑
Use of Multiple Concurrent Antipsychotics in Children and Adolescents (APC)				
<i>Ages 1-5</i>		0.00%	0.00%	90th ↔
<i>Ages 6-11</i>		2.78%	1.27%	50th ↔
<i>Ages 12-17</i>		4.48%	3.25%	25th ↔
<i>Total</i>		3.76%	2.50%	25th ↔
Use of Opioids at High Dosage (UOD) **		28.16	22.9	75th ↔
Use of Opioids from Multiple Providers (UOP)**^				
<i>Multiple Prescribers</i>		265.56	330.65	<25th ↔
<i>Multiple Pharmacies</i>		120.155	215.14	<25th ↔
<i>Multiple Prescribers and Multiple Pharmacies</i>		93.2	181.08	<25th ↔
Use of Spirometry Testing in Diagnosing COPD (SPR)	19.40%	22.79%	23.18%	<25th ↔
Weight Assessment, Counseling for Nutrition and Physical Activity for Children (WCC) x				
<i>BMI</i>	86.34%	84.18%	86.13%	75th ↔
<i>Counseling for Nutrition</i>	80.09%	80.29%	81.75%	75th ↔
<i>Counseling for Physical Activity</i>	68.06%	71.29%	80.29%	90th ↑
Well-Child Visits in the First 15 Months of Life (W15)	49.54%	51.58%	49.88%	<25th ↔
Well-Child Visits in the 3rd, 4th, 5th, & 6th Years of Life (W34)	73.15%	75.43%	74.94%	50th ↔
Flu Vaccinations (CAHPS) x	37.65%	38.70%	41.64%	50th ↑
Advising Smokers and Tobacco Users to Quit (MSC) (CAHPS) x	57.69%	61.38%	68.66%	<25th ↔

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan
Medi-cal HEDIS® Performance Summary

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		