



Inland Empire Health Plan

## Medicare HEDIS® Performance Summary

HEDIS® Measures for Medicare	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
<b>Acute Hospital Utilization (AHU) ^x</b>				
<i>Medicine (ages 18+)</i>	0.7191	0.6723	0.6816	90 <sup>th</sup> ↔
<i>Surgery (ages 18+)</i>	0.5053	0.6090	0.6395	>95 <sup>th</sup> ↔
<i>Total (ages 18+)</i>	0.6496	0.6609	0.6799	90 <sup>th</sup> ↔
<b>Adults' Access to Preventive/ Ambulatory Health Services (AAP)</b>				
<i>20-44 Years</i>	88.11%	88.39%	87.58%	<25 <sup>th</sup> ↓
<i>45-64 Years</i>	94.32%	94.65%	94.75%	<25 <sup>th</sup> ↓
<i>65+ Years</i>	91.09%	91.90%	92.33%	<25 <sup>th</sup> ↔
<i>Total</i>	91.76%	92.35%	92.56%	<25 <sup>th</sup> ↔
<b>Adult BMI Assessment (ABA)</b>	97.22%	94.40%	95.86%	25 <sup>th</sup> ↔
<b>Antidepressant Medication Management (AMM)*x</b>				
<i>Effective Acute Phase</i>	64.64%	67.28%	67.83%	25 <sup>th</sup> ↔
<i>Effective Continuation Phase</i>	48.37%	50.58%	51.66%	25 <sup>th</sup> ↔
<b>Breast Cancer Screening (BCS)x</b>	68.80%	69.37%	70.37%	25 <sup>th</sup> ↔
<b>Care for Older Adults (COA)</b>				
<i>Advance Care Planning</i>	62.73%	59.37%	55.72%	25 <sup>th</sup> ↔
<i>Medication Review</i>	84.03%	80.29%	87.35%	25 <sup>th</sup> ↑
<i>Functional Status Assessment</i>	71.99%	65.69%	74.21%	<25 <sup>th</sup> ↔
<i>Pain Screening</i>	83.56%	87.83%	88.32%	25 <sup>th</sup> ↑
<b>Colorectal Cancer Screening (COL)x</b>	60.65%	63.99%	65.21%	25 <sup>th</sup> ↔
<b>Comprehensive Diabetes Care (CDC)x</b>				
<i>Hemoglobin A1c (HbA1c) testing</i>	91.90%	94.65%	93.19%	25 <sup>th</sup> ↓
<i>HbA1c Control (≤9.0%)</i>	71.76%	79.81%	75.91%	25 <sup>th</sup> ↓
<i>HbA1c Control (&lt;8.0%)</i>	60.42%	67.15%	61.56%	25 <sup>th</sup> ↓
<i>Eye Exam (Retinal) Performed*</i>	71.76%	73.48%	71.29%	25 <sup>th</sup> ↓
<i>Medical Attention for Nephropathy</i>	95.37%	96.84%	97.32%	75 <sup>th</sup> ↑
<i>Blood Pressure Control (&lt;140/90 mm Hg)</i>	63.66%	67.40%	65.45%	25 <sup>th</sup> ↓
<b>Controlling High Blood Pressure (CBP)x</b>	62.75%	62.53%	66.91%	25 <sup>th</sup> ↔
<b>Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)</b>	72.20%	73.59%	73.13%	<25 <sup>th</sup> ↓

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure

↓ or ↑ Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)

↔ Indicates no change in the percentile ranking as compared to the previous measurement year.

**Green** Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.  
**Red** Indicates a negative change in the percentile ranking as compared to the previous measurement year.



Inland Empire Health Plan

## Medicare HEDIS® Performance Summary

HEDIS® Measures for Medicare	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
<b>Emergency Department Utilization (EDU) ^x</b>	1.1252	1.1174	0.9985	<b>50<sup>th</sup> ↔</b>
<b>Follow-Up After Hospitalization for Mental Illness (FUH)x</b>				
7-Day Follow-Up	43.58%	31.15%	30.58%	<b>50<sup>th</sup> ↑</b>
30-Day Follow-Up	60.20%	50.59%	52.69%	<b>50<sup>th</sup> ↑</b>
<b>Follow-Up After Emergency Department Visit for Alcohol and other Drug Abuse or Dependence (FUA)</b>				
7-Day Follow-Up			4.83%	<b>&lt;25<sup>th</sup></b>
30-Day Follow-Up			1.38%	<b>&lt;25<sup>th</sup></b>
<b>Follow-Up After Emergency Department Visit for Mental Illness (FUM)x</b>				
7-Day Follow-Up	20.28%	45.12%	33.33%	<b>50<sup>th</sup> ↔</b>
30-Day Follow-Up	43.40%	29.27%	57.58%	<b>75<sup>th</sup> ↔</b>
<b>Follow-Up After Emergency Department Visit for People with High-Risk Multiple Chronic Conditions (FMC)x</b>				
Ages 18-64		44.43%	50.10%	<b>25<sup>th</sup> ↔</b>
Ages 65+		43.76%	47.15%	<b>&lt;25<sup>th</sup> ↔</b>
Total		44.09%	48.54%	<b>25<sup>th</sup> ↔</b>
<b>Hospitalization for Potentially Preventable Complications (HPC) ^x</b>	0.9702	0.8351	0.7208	<b>75<sup>th</sup> ↔</b>
<b>Initiation and Engagement of AOD Dependence Treatment (IET)x</b>				
Initiation of AOD Treatment: Total*	25.43%	21.75%	20.09%	<b>&lt;25<sup>th</sup> ↔</b>
Engagement of AOD Treatment: Total	1.41%	1.99%	2.52%	<b>25<sup>th</sup> ↔</b>
<b>Medication Reconciliation Post-Discharge (MRP)x</b>	45.22%	41.36%	44.28%	<b>25<sup>th</sup> ↔</b>
<b>Non-Recommended PSA-Based Screening in Older Men (PSA) ^</b>	38.94%	37.78%	36.72%	<b>25<sup>th</sup> ↔</b>
<b>Osteoporosis Management in Women Who Had a Fracture (OMW)x</b>	16.67%	33.04%	18.18%	<b>&lt;25<sup>th</sup> ↓</b>
<b>Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)</b>	86.15%	89.89%	83.87%	<b>&lt;25<sup>th</sup> ↓</b>
<b>Pharmacotherapy Management of COPD Exacerbation (PCE)x</b>				

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
<b>Green</b>	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
<b>Red</b>	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan

## Medicare HEDIS® Performance Summary

HEDIS® Measures for Medicare	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
<i>Systemic Corticosteroid</i>	73.61%	69.78%	77.02%	75 <sup>th</sup> ↑
<i>Bronchodilator</i>	86.54%	86.82%	91.03%	90 <sup>th</sup> ↑
<b>Plan All-Cause Readmissions (PCR)<sup>^x</sup></b>	20.35%	19.99%	21.06%	<25 <sup>th</sup> ↔
<b>Plan All-Cause Readmissions (PCR O/E)<sup>^x</sup></b>	0.89	0.88	0.89	<25 <sup>th</sup> ↔
<b>Potentially Harmful Drug-Disease Interactions in the Elderly (DDE)<sup>^x</sup></b>	39.48%	44.96%	49.00%	<25 <sup>th</sup> ↔
<b>Risk of Continued Opioid Use (COU)<sup>^</sup></b>				
<i>Total &gt;=31 days covered</i>			16.47%	
<i>Total &gt;=15 days covered</i>			38.44%	
<b>Statin Therapy for Patients with Cardiovascular Disease (SPC)<sup>x</sup></b>				
<i>Received Statin Therapy: Total</i>	69.45%	68.36%	72.89%	<25 <sup>th</sup> ↔
<i>Statin Adherence 80%: Total</i>	67.14%	66.93%	66.21%	<25 <sup>th</sup> ↔
<b>Statin Therapy for Patients with Diabetes (SPD)<sup>x</sup></b>				
<i>Received Statin Therapy</i>	67.51%	68.37%	69.73%	25 <sup>th</sup> ↔
<i>Statin Adherence 80%</i>	63.74%	64.04%	66.77%	<25 <sup>th</sup> ↔
<b>Transition of Care (TRC)<sup>x</sup></b>				
<i>Notification of Inpatient Admission: Total</i>		8.52%	9.73%	50 <sup>th</sup> ↔
<i>Receipt of Discharge Information: Total</i>		1.46%	2.68%	50 <sup>th</sup> ↔
<i>Patient Engagement after Inpatient Discharge: Total</i>		78.83%	80.05%	50 <sup>th</sup> ↔
<i>Medication Reconciliation Post-Discharge: Total</i>		37.23%	39.90%	25 <sup>th</sup> ↔
<b>Use of High-Risk Medications in the Elderly (DAE)<sup>^x</sup></b>				
<i>One Prescription</i>	20.19%	26.68%	30.60%	<25 <sup>th</sup> ↔
<i>At Least Two Prescriptions</i>	13.96%	13.95%	15.40%	<25 <sup>th</sup> ↔
<b>Use of Opioids at High Dosage (UOD)<sup>^x</sup></b>		47.58	40.79	50 <sup>th</sup> ↔
<b>Use of Opioids from Multiple Providers (UOP)<sup>^x</sup></b>				
<i>Multiple Prescribers</i>		219.66	276.36	<25 <sup>th</sup> ↔
<i>Multiple Pharmacies</i>		106.97	173.71	<25 <sup>th</sup> ↔
<i>Multiple Prescribers and Multiple Pharmacies</i>		82.97	145.05	<25 <sup>th</sup> ↔

### Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
Green	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
Red	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		



Inland Empire Health Plan  
**Medicare HEDIS® Performance Summary**

HEDIS® Measures for Medicare	HEDIS 2017	HEDIS 2018	HEDIS 2019	HEDIS 2019 Percentile
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	20.35%	22.53%	26.32%	<25 <sup>th</sup> ↔
Flu Vaccinations (FVO)	59.80%	66.00%	62.70%	<25 <sup>th</sup> ↔
Advising Smokers and Tobacco Users to Quit (MSC) (CAHPS) <sup>x</sup>	81.90%	83.10%	84.10%	25 <sup>th</sup> ↔
Pneumococcal Vaccination Status for Older Adults <sup>x</sup>	53.00%	54.40%	55.40%	<25 <sup>th</sup> ↔

Performance Summary Key:

*	Rate calculated per 1000 Members	~	Inverted rate
^	Lower rate is better	x	Accreditation Measure
↓ or ↑	Indicates an increase or decrease in the raw percentage or percentile ranking as compared to the previous measurement year. Each arrow up/down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)		
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.		
<b>Green</b>	Indicates that the change was an improvement in percentile ranking compared to the previous measurement year.		
<b>Red</b>	Indicates a negative change in the percentile ranking as compared to the previous measurement year.		